

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	778211	(fax or facsimile or (communication near3 (device or apparatus or system))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 15:56
L3	42426	((fax or facsimile or (communication near3 (device or apparatus or system)))) same (keypad or key or keyboard or key-board or key-pad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 15:57
L4	59	3 and ((plural\$5 or multipl\$5) with key with character with (assign\$5 or allocat\$5 or allot\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 15:59
L5	6	4 and ((select\$5 or choos\$5 or chang\$5) with character with (layout or configuration or plan))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 16:03
L6	6	4 and ((select\$5 or choos\$5 or chang\$5) with character with (layout or configuration or plan))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 16:03
L7	93	3 and ((select\$5 or choos\$5 or chang\$5) with character with (layout or configuration or plan))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 16:03
L8	72	7 and (network\$5 or telephon\$5 or internet or lan or pstn)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 16:04

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S6	778211	(fax or facsimile or (communication near3 (device or apparatus or system))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 12:14
S7	51822	S6 and ((keypad or keyboard) with input\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 12:18
S10	1018	S7 and (character with (chang\$5 or substitut\$5 or transform\$5 or alter\$6 or alternat\$5 or switch\$5) with (key or keypad or keyboard))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 13:00
S11	131	S10 and (qwerty)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 12:21
S12	16	S7 and (character with (chang\$5 or substitut\$5 or transform\$5 or alter\$6 or alternat\$5 or switch\$5) with (key or keypad or keyboard) with layout)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 13:18
S13	40	S7 and (character with (chang\$5 or substitut\$5 or transform\$5 or alter\$6 or alternat\$5 or switch\$5) with layout)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 13:29
S14	6	S13 and ((chang\$5 or substitut\$5 or transform\$5 or alter\$6 or alternat\$5 or switch\$5) with (qwerty or (q adj2 w adj2 e adj2 r adj2 t adj2 y)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 13:31
S15	70	S7 and (character with (chang\$5 or substitut\$5 or transform\$5 or alter\$6 or alternat\$5 or switch\$5) with (allocat\$5 or layout))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 13:33
S16	54	S15 and (network or lan or (local adj2 access adj2 network) or internet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 13:30
S17	2	S16 and ((chang\$5 or substitut\$5 or transform\$5 or alter\$6 or alternat\$5 or switch\$5) with (qwerty or (q adj2 w adj2 e adj2 r adj2 t adj2 y)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 13:37
S18	1	S16 and (abc same (qwerty or (q adj2 w adj2 e adj2 r adj2 t adj2 y)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 13:32

S19	1	S15 and (abc same (qwerty or (q adj2 w adj2 e adj2 r adj2 t adj2 y)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 13:32
S20	269	S7 and ((letter or character) with (chang\$5 or substitut\$5 or transform\$5 or alter\$6 or alternat\$5 or switch\$5) with (allocat\$5 or layout or correspond\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 13:33
S21	812	S7 and ((select\$5 or choos\$5 or chang\$5 or adjust\$5 or replac\$5 or substitut\$5) with (key\$5) with (layout or configuration or plan))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 13:38
S22	262	S21 and ((select\$5 or choos\$5 or chang\$5 or adjust\$5 or replac\$5 or substitut\$5) with (qwerty or (q near2 w near2 e near2 r near2 t near2 y) or abc or standard or international or french or france or europ\$5 or japan\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 13:40
S23	89	S21 and (((select\$5 or choos\$5 or chang\$5 or adjust\$5 or replac\$5 or substitut\$5) with (qwerty or (q near2 w near2 e near2 r near2 t near2 y) or abc or standard or international or french or france or europ\$5 or japan\$5)) same (layout or configuration or plan))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 14:08
S24	2	"5987274".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 13:46
S25	2	"5825992".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 13:46
S26	81	S21 and (((select\$5 or choos\$5 or chang\$5) with (qwerty or (q near2 w near2 e near2 r near2 t near2 y) or abc or dvorak or standard or international or french or france or europ\$5 or japan\$5)) same (layout or configuration or plan))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 14:17
S27	68	S26 not (virtual\$5 with key\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 14:46
S28	1	"5953541".pn. and ((chang\$t or select\$5) with key\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 14:48

S29	1	"5953541".pn. and ((chang\$t or select\$5) with key\$7 with "58")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 14:48
S30	0	"5953541".pn. and ((chang\$t) with key\$7 with "58")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 14:48
S31	0	"5953541".pn. and ((chang\$) with key\$7 with "58")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 14:48
S32	1	"5953541".pn. and ((chang\$) with key\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 14:49
S33	1	"5953541".pn. and ((mode) with key\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 14:52
S34	1	"5953541".pn. and ((mode) with key\$7 with special)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 14:54
S35	1	"5953541".pn. and ((mode) same key\$7 same special)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 14:54
S36	1	"5953541".pn. and ((mode) same key\$7 same special same character\$5 same numeric\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 15:01
S37	1	"5953541".pn. and ((mode) with select\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 15:01
S38	1	"5953541".pn. and ((mode) near select\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 15:01

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	778211	(fax or facsimile or (communication near3 (device or apparatus or system))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 15:56
L3	42426	((fax or facsimile or (communication near3 (device or apparatus or system)))) same (keypad or key or keyboard or key-board or key-pad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 15:57
L4	59	3 and ((plural\$5 or multipl\$5) with key with character with (assign\$5 or allocat\$5 or allot\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 15:59
L5	6	4 and ((select\$5 or choos\$5 or chang\$5) with character with (layout or configuration or plan))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 16:03
L6	6	4 and ((select\$5 or choos\$5 or chang\$5) with character with (layout or configuration or plan))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 16:03
L7	93	3 and ((select\$5 or choos\$5 or chang\$5) with character with (layout or configuration or plan))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 16:34
L8	72	7 and (network\$5 or telephon\$5 or internet or lan or pstn)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 16:24
L11	6	8 and (internet with (key or keypad or keyboard or key-pad or key-board))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 16:36
L12	6	7 and (internet with (key or keypad or keyboard or key-pad or key-board))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 16:36
L13	3000	3 and ((lan or internet) with (key or keypad or keyboard or key-pad or key-board))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 16:39
L14	5	3 and ((lan or internet) with (key or keypad or keyboard or key-pad or key-board) with (choos\$5 or select\$5) with (layout or configuration or plan))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 16:41

L15	40	((key or keypad or keyboard or key-pad or key-board) with (choos\$5 or select\$5) with (layout or configuration)) same (qwerty or abcdef or abc))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 16:42
L16	0	15 and ((choos\$5 or select\$5) with (internet or lan or pstn))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 16:43
L17	3	15 and ((key or keypad or keyboard or key-pad or key-board) with (internet or lan or pstn))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 16:52
L18	0	15 and ((ready or compatible) with (internet or lan or pstn))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 16:46
L19	3	7 and ((ready or compatible) with (internet or lan or pstn))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 16:46
L20	49	3 and ((key or keypad or keyboard or key-pad or key-board) with (compatib\$5 or ready or useful) with (internet or lan or pstn))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 16:53
L21	5	3 and ((key or keypad or keyboard or key-pad or key-board) with (layout or configuration) with (compatib\$5 or ready or useful) with (internet or lan or pstn))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 16:57
L22	7	3 and ((select\$5 or choos\$5 or determin\$6 or set\$4) with (key or keypad or keyboard or key-pad or key-board) with (layout or configuration) with (internet or lan or pstn))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 16:58